







Zehnder Diffuser/Grille & Register Options



always the
best climate




Diffuser/Grille Options		Zehnder America Part #	Use		Mounting					Finish	
			Supply	Return	Ceiling	Wall	Required Register	Fixed Grille	Typical Airflow (3)	Dimensions	Color
Luna		9609-00	X		X	X (1)	TVA-2T or TVA-3T		12-36 cfm	6-5/8" dia.	White (paintable)
STB-1		9310-00		X	X	X (1)	TVA-2T		12-24 cfm	5-1/2" dia.	White (paintable)
STB-2		9441-00		X	X	X (1)	TVA-3T		24-36 cfm	5-1/2" dia.	White (paintable)
Roma (white)		9264-00	X	X	X	X	CLD-2T	X (2)	12-24 cfm	6-1/4" x 10"	White (paintable)
Roma (stainless)		9263-00	X	X	X	X	CLD-2T	X (2)	12-24 cfm	6-1/4" x 10"	Stainless Steel
Venezia		9443-00	X	X	X	X (1)	TVA-2T or TVA-3T	X (2)	12-36 cfm	5-1/2" dia.	White (paintable)

Notes:

(1) Luna, STB or Venezia requires TVA register and minimum 4-1/4" rough framing depth. 2x6 stud walls are preferable.

(2) Roma or Venezia airflows can be adjusted using a separate damper installed at commissioning.




(3) Typical airflow with system at medium speed.

Register Options		Zehnder America Part #	Associated Cover(s)		Mounting Options		Dimensions	Typical Airflow	
			Supply	Return	Ceiling	Wall		# of Ducts	CFM
CLD-2T		9588-00	Roma (white or stainless)	Roma (white or stainless)	X	X	4-3/4" W 8-7/8" L 3-1/2" D	1-2	12-24
TVA-2T		9591-00	Luna, Venezia	STB-1, STB-2, Venezia	X	X (4)	6-7/8" W 6-7/8" L 11" D (5)	1-2	12-24
TVA-3T		9590-00	Luna, Venezia	STB-2, Venezia	X	X (4)	6-7/8" W 11-3/4" L 11" D (5)	3	36

Notes:

(4) TVA register boxes require minimum 4-1/4" rough framing depth. 2x6 stud walls are preferable.

(5) Published depth of 11" is with the 125mm port left untrimmed. The port may be trimmed as necessary to a minimum 4-5/8" overall depth.

Accessories		Zehnder America Part #	Associated Cover(s)		Description
			Supply	Return	
Luna Air-Blocker		9608-00	Luna		Used to reduce flow pattern by 1/3 from 360 degrees to 240 degrees if airflow is not desired in a particular direction.
125mm Cone Filter		9352-00		STB-1, STB-2, Venezia	Used with STB-1, STB-2 or Venezia grille when used as a return.
CLD Filter G3		9388-00		Roma (white) (stainless)	Used with Roma grille when used as a return.