







Zehnder Diffuser/Grille & Register Options



always the
best climate




| Diffuser/Grille Options | | Zehnder America Part # | Use | | Mounting | | | | | Finish | |
|-------------------------|---|------------------------|--------|--------|----------|-------|-------------------|--------------|--------------------------------|--------------|-------------------|
| | | | Supply | Return | Ceiling | Wall | Required Register | Fixed Grille | Continuous Typical Airflow (3) | Dimensions | Color |
| Luna |  | 9609-00 | X | | X | X (1) | TVA-2T or TVA-3T | | 12-36 cfm | 6-5/8" dia. | White (paintable) |
| STB-1 |  | 9310-00 | | X | X | X (1) | TVA-2T | | 12-24 cfm | 5-1/2" dia. | White (paintable) |
| STB-2 |  | 9441-00 | | X | X | X (1) | TVA-3T | | 24-36 cfm | 5-1/2" dia. | White (paintable) |
| Roma (white) |  | 9264-00 | X | X | X | X | CLD-2T | X (2) | 12-24 cfm | 6-1/4" x 10" | White (paintable) |
| Roma (stainless) |  | 9263-00 | X | X | X | X | CLD-2T | X (2) | 12-24 cfm | 6-1/4" x 10" | Stainless Steel |
| Venezia |  | 9443-00 | X | X | X | X (1) | TVA-2T or TVA-3T | X (2) | 12-36 cfm | 5-1/2" dia. | White (paintable) |

Notes:

(1) Luna, STB or Venezia requires TVA register and minimum 4-1/4" rough framing depth. 2x6 stud walls are preferable.

(2) Roma or Venezia airflows can be adjusted using a separate damper installed at commissioning.




(3) Typical airflow with system at medium speed.

| Register Options | | Zehnder America Part # | Associated Cover(s) | | Mounting Options | | Dimensions | Typical Airflow | |
|------------------|---|------------------------|---------------------------|---------------------------|------------------|-------|---------------------------------------|-----------------|-------|
| | | | Supply | Return | Ceiling | Wall | | # of Ducts | CFM |
| CLD-2T |  | 9588-00 | Roma (white or stainless) | Roma (white or stainless) | X | X | 4-3/4" W 8-7/8" L 3-1/2" D | 1-2 | 12-24 |
| TVA-2T |  | 9591-00 | Luna, Venezia | STB-1, STB-2, Venezia | X | X (4) | 6-7/8" W 6-7/8" L 11" D (5) | 1-2 | 12-24 |
| TVA-3T |  | 9590-00 | Luna, Venezia | STB-2, Venezia | X | X (4) | 6-7/8" W 11-3/4" L 11" D (5) | 3 | 36 |

Notes:

(4) TVA register boxes require minimum 4-1/4" rough framing depth. 2x6 stud walls are preferable.

(5) Published depth of 11" is with the 125mm port left untrimmed. The port may be trimmed as necessary to a minimum 4-5/8" overall depth.

| Accessories | | Zehnder America Part # | Associated Cover(s) | | Description |
|----------------------|--|------------------------------|---------------------|--------------------------------|---|
| | | | Supply | Return | |
| Luna Air-Blocker |  | 9608-00 | Luna | | Used to reduce flow pattern by 1/3 from 360 degrees to 240 degrees if airflow is not desired in a particular direction. |
| 125mm Cone Filter |  | 9352-00 | | STB-1, STB-2, Venezia | Used with STB-1, STB-2 or Venezia grille when used as a return. |
| CLD Filter G3 |  | 9388-00 | | Roma (white) (stainless) | Used with Roma grille when used as a return. |